

































Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tz n	ZI	A2	A4	Cu	Ms	Al	KS		
DIN 1	 Taper pins PIN-TAP	2339**	•						• (A1)						
DIN 7	 Parallel pins PIN-PAR	2338**	•						• (A1)	•					
DIN 84	 Cap screws with slot SCR-CAP	1207***	•	•	•				•	•		•			•
DIN 85	 Pan head screws SCR-PANHEAD	1580***	•	•					•	•					•
DIN 93	 Washers with rags A form	°	•						•	•					
DIN 94	 Split pins	1234**		•	•				•	•					
DIN 95	 Raised head wood screws with slot SCR-RSD-HEAD			•					•	•		•			
DIN 96	 Round head wood screws with slot SHR-HRD			•					•	•		•			
DIN 97	 Countersunk wood screws with slot SCR-CNTRSNK			•					•	•		•			
DIN 125	 Washers A	7089**	•	•	•	•	•	•	•	•					
DIN 125	 Washers B	7090**	•	•	•							•			
DIN 126	 Washers	7091*	•	•											
DIN 127	 Spring washers A	°	•	•	•										
DIN 127	 Spring washers B	°	•	•				•		•	•				
DIN 128	 Spring washers A	°	•	•	•				•	•					
DIN 134	 Washers	°	•	•											

















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
°) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzcn	Zl	A2	A4	Cu	Ms	Al	KS		
DIN 137	 Spring washers A	°	•	•	•				•						
DIN 137	 Spring washers B	°	•	•	•				•	•					
DIN 315	 Wing nuts		•	•								•			
DIN 316	 Wing screws SCR-WNG			•					•	•					
DIN 319	 Spherical knob														•
DIN 404	 Capstan screw, slotted								• (A1)						
DIN 417	 Threaded pins with slot and pivot PIN-PVT	7435*	•						•						
DIN 427	 Shaft screws, slotted SCR-SHA	2342*	•							•					
DIN 431	 Tube nuts NUT-PIP-THRD		•						•	•					
DIN 432	 Washers	°	•						•	•					
DIN 433	 Washers	7092**	•	•	•				•	•					
DIN 434	 Washers for U-beams		•	•		•			•	•					
DIN 435	 Washers for double T-beams		•	•		•			•	•					
DIN 436	 Washers		•	•					•	•					
DIN 439	 Hexagon nuts NUT-HEX6	4035*** 8675***	•	•	•				•	•		•			
DIN 440	 Washers R	7094*	•	•	•				•	•					

















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes, °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzn	ZI	A2	A4	Cu	Ms	Al	KS		
DIN 442	 Sealing push-on cap		•												
DIN 443	 Sealing push-on cap B		•												
DIN 444	 Eye bolts A BLT-EYE		•	•											
DIN 444	 Eye bolts B BLT-EYE		•	•					•	•					
DIN 462	 Washers		•												
DIN 463	 Washers		•						•	•					
DIN 464	 Knurled thumb screws SCR-KNRL		•	•					•						
DIN 465	 Knurled thumb screws SCR-KNRL								•						
DIN 466	 Knurled nuts NUT-KNRL		•	•					•						
DIN 467	 Knurled nuts NUT-KNRL		•	•					•						
DIN 470	 Sealing washers		•												
DIN 471	 Circlips for shafts		•	•					•						
DIN 472	 Circlips for holes		•						•						
DIN 508	 T-slots	299*	•												
DIN 525	 Welding studs		•												
DIN 546	 Slotted round nuts NUT-SLT		•						•	•					
















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
 °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzr	Zl	A2	A4	Cu	Ms	Al	KS		
DIN 551	 Threaded pins with slot and rounded taper PIN-RD TAP	4766*	•						•	•					
DIN 553	 Threaded pins with slot and point PIN-point	7434*	•	•					•	•					
DIN 555	 Hexagon nuts NUT-HEX6	4034***													•
DIN 557	 Square nuts NUT-SQR4			•	•				•	•					
DIN 558	 Hexagon bolts BLT-HEX6	4018***		•											
DIN 562	 Square nuts NUT-SQR4			•	•				•	•					
DIN 571	 Hexagon head wood screw BLT-HEX6			•					•	•					
DIN 580	 Lifting eye bolts BLT-LFTG-EYE		•	•					•	•					
DIN 582	 Lifting eye nuts NUT-RNG		•	•					•	•					
DIN 601	 Hexagon bolts with nut BLT-HEX6	4016***	•	•											
DIN 603	 Pan head screws SCR-PNHD		•	•	•				•	•					
DIN 604	 Countersunk screws with nose SCR-CNTRSNIK	4034	•												
DIN 609	 Hexagon head fit bolts BLT-HEX6		•												
DIN 610	 Hexagon head fit bolts BLT-HEX6	°	•												
DIN 653	 Knurled thumb screw SCR-KNRL			•					•						
DIN 660	 Round head rivets	1051*	•						•	•	•		•		
















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes, °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS		
DIN 661	 Countersunk rivets	1051*	•						•		•				
DIN 705	 Adjusting rings	°	•	•						• (A1)					
DIN 835	 Threaded studs		•		•										
	SCR-PIN														
DIN 906	 Sealing screws		•	•	•					•	•				
DIN 906	 Sealing screws with Withworth pipe thread		•	•	•					•	•				
DIN 908	 Sealing screws with metr. fine thread		•	•	•						•				
DIN 908	 Sealing screws with pipe thread		•	•	•					•	•				
DIN 910	 Sealing screws with metr. fine thread		•	•	•					•	•		•		
DIN 910	 Sealing screws with pipe thread		•	•	•					•	•		•		
DIN 911	 Hexagonal L-wrench	2936*	•												
DIN 912	 Cap screws	4762*	•	•	•			•	•	•					
	SCR-CAP														
DIN 913	 Threaded pins	4026*	•	•						•	•				
	PIN-RD TAP														
DIN 914	 Threaded pins	4027*	•	•						•	•				
	PIN-SP														
DIN 915	 Threaded pins	4028*	•	•						•	•				
	SCR-PIN														
DIN 916	 Threaded pins	4029*	•	•						•	•				
	PIN-CRS cutter														

















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes, °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page											
			St	galv.	galv. zinc-plated	tz n	ZI	A2	A4	Cu	Ms	Al	KS	
DIN 917	 Cap nuts NUT-CAP		•	•						• (A1)	•	•		
DIN 920	 Pan head screws, slotted SCR-PANHEAD									•				
DIN 921	 Pan head screws SCR-PANHEAD		•							• (A1)				
DIN 923	 Pan head screws with slot and shoulder SCR-PANHEAD		•							• (A1)				
DIN 928	 Square weld nuts SQR-WELD-NUT4		•							•	•			
DIN 929	 Weld nuts SQR-WELD-NUT4		•							•	•			
DIN 931	 Hexagon bolts with shaft BLT-HEX6	4014***	•	•	•	•	•	•	•	•				
DIN 933	 Hexagon bolts BLT-HEX6	4017***	•	•	•	•	•	•	•		•			•
DIN 934	 Hexagon nuts with metric coarse thread NUT-HEX6	4032***	•	•	•	•	•	•	•		•	•		
DIN 934	 Hexagon nuts with metric fine thread NUT-HEX6	8673***	•	•	•		•	•	•					
DIN 934	 Hexagon nuts with metric fine left hand thread NUT-HEX6		•	•					•	•				
DIN 934	 Hexagon nuts with trapezoidal thread NUT-HEX6		•											
DIN 935	 Castle nuts with coarse thread NUT-CASTLE		•	•					•	•				
DIN 935	 Castle nuts with fine thread NUT-CASTLE		•				•							
DIN 936	 Hexagon nuts with coarse thread, flat NUT-HEX6	4035***	•	•	•				•					

















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes, °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzn	ZI	A2	A4	Cu	Ms	Al	KS		
DIN 936	 Hexagon nuts with fine thread, flat NUT-HEX6	4035	260	260					260						
DIN 938	 Threaded studs								261	261					
DIN 939	 Threaded studs		262	263					263	264					
DIN 960	 Hexagon bolts BLT-HEX6	8765***	265 266	266				267							
DIN 961	 Hexagon bolts BLT-HEX6	8676***	268	269				269							
DIN 963	 Hexagon bolts SCR-CNTRSJK	2009***	270	271	272				274 275	276 277		272		273	
DIN 964	 Raised countersunk head screws SCR-RD-HEAD	2010***	278	279					280	281		279			
DIN 965	 Countersunk screws SCR-CNTRSJK	7046***	282	283	284				285 286	287 288					
DIN 966	 Raised countersunk head screws SCR-RD-HEAD	7047***	292	293	293				294 295	295 296					
DIN 975	 Threaded rods with metric thread THR-ROD	976**	297	298 299		299			299	300		299		299	
DIN 975	 Threaded rods with metric fine thread THR-ROD	976**	301	302											
DIN 975	 Threaded rods with trapezoidal thread THR-ROD		303												
DIN 976	 Threaded pieces THRD-PCS			303					303 304	304					
DIN 979	 Castle nuts with coarse thread NUT-CASTLE	7038**	305												
DIN 979	 Castle nuts with fine thread NUT-CASTLE	7038**	305												
DIN 980	 Hexagon nuts NUT-HEX6	V 10513 ***		306 307	306 307			307 308	308	308					
















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
 °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzr	ZI	A2	A4	Cu	Ms	Al	KS		
DIN 982 	Hexagon nuts NUT-HEX6	7040 ***		309					309	309					
DIN 985 	Hexagon nuts NUT-HEX6	10511 ***		310 311	311		311		312	312					
DIN 986 	Cap nuts NUT-CAP			313					313						
DIN 988 	Shim rings		314 315						315						
DIN 988 	Supporting rings		318												
DIN 1052 	Washers								319	319					
DIN 1434 	Split pins			539	539										
DIN 1440 	Washers	8738**	320	320	320				321	321					
DIN 1441 	Washers		322	322					322						
DIN 1471 	Taper grooved pins PIN-TAP-GRV	8744**	323						323 (A1)						
DIN 1472 	Taper grooved pins PIN-TAP-GRV	8745**	324						324 (A1)						
DIN 1473 	Parallel grooved pins PIN-PAR-GRV	8740**	325						325 (A1)						
DIN 1474 	Reversed grooved pins PIN-REV-GRV	8741**	326						326						
DIN 1475 	Center grooved pins PIN-CNTR-GRV	8742**	327												
DIN 1476 	Round head grooved pin	8746*	328						328						
DIN 1478 	Turnbuckles			329											

















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
 °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzn	ZI	A2	A4	Cu	Ms	Al	KS		
DIN 1479	 Turnbuckles		329												
DIN 1480	 Turnbuckles		330 331	330 331 332											
DIN 1587	 Cap nuts NUT-CAP		333 334					335 (A1)	335		334			335	
DIN 1804	 Notched nuts NUT-CAP		336												
ISO 2338	 Parallel pins PIN-PAr	7**	340												
ISO 4014	 Hexagon bolts with shaft BLT-HEX6	931***	341 342 345	341 343	344			346	346						
ISO 4017	 Hexagon bolts BLT-HEX6	933***	349 350 353	349 351	352			353	354						
ISO 4032	 Hexagon nuts NUT-HEX6	934***		354	355			355	355						
ISO 4035	 Hexagon nuts with metric coarse thread NUT-HEX6	439***		356											
DIN 6319	 Bevel washers/spherical washer		357												
DIN 6325	 Parallel pins PIN-PAr	8734*	358 359												
DIN 6330	 Hexagon nuts NUT-HEX6		359					359	359						
DIN 6331	 Hexagon nuts NUT-HEX6		360					360	360						
DIN 6334	 Hexagon nuts NUT-HEX6							361	361						
DIN 6340	 Washers		363	363	363										

















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
 °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page											
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS	
DIN 6796 	Conical spring washers	10670 **		364	364			364	364					
DIN 6797 	Toothed washers	°	365 366	365 366	365			367						
DIN 6798 	Serrated lock washers	°	368 369	368 369	368			370	371					
DIN 6799 	Lock washers		372	373				374						
DIN 6885 	Parallel keys		375 376						377					
DIN 6911 	L-wrench		377											
DIN 6912 	Cap screws		378 379 382	380	381		382	383	384					
DIN 6917 	Washers					385								
DIN 6918 	Washers					385								
DIN 6921 	Hexagon bolts	1665	386	386				387						
	6SCR-HEX-FLNG													
DIN 6923 	Hexagon nuts			389				389	389					
	6NUT-HEX-FLNG													
DIN 6924 	Hexagon nuts	7040***		392										
	NUT-HEX6													
DIN 6925 	Hexagon nuts	10513 ***		392	392									
	NUT-HEX6													
DIN 6926 	Hexagon nut with flange							358	358					
DIN 7343 	Spiral spring pins	8750*	395					396						
DIN 7346 	Rolled spring pins	13337 *	397											

















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes, °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	ZI	A2	A4	Cu	Ms	Al	KS
DIN 7349	 Washers		398	398	398			399 400	399				
DIN EN ISO 7380	 Pan head screws SCR-RD-HEAD	7380-1	400	401				402 403					
DIN EN ISO 7380	 Pan head screws with hexalobular socket SCR-RD-HEAD	7380-1	404					404					
DIN EN ISO 7380	 Round head flanged screws SCR-RND-HD-FLNG	7380-2	406	406				407					
DIN 7500	 Self-tapping screw C, M, DE Screws			408 409 410	409			410 411 412					
DIN 7504	 Self-tapping screws K, M, O. R	15480* 15481* 15482* 15483*		413 415 418 420				413 415 418					
DIN 7603	 Sealing rings A									422 423			
DIN 7604	 Sealing screws SCR-SLNG		424								425		
DIN 7964	 Captive screw with hexagon socket SCR-CAP							425					
DIN 7964	 Captive hexagonal bolts BLT-HEX6							426					
DIN 7965	 Screw-in nuts			426									
DIN 7967	 Lock nuts (PAL nuts) NUT-LCK	°	427	427	427			428 428					
DIN 7968	 Hexagon head fit bolts BLT-HEX6		428										
DIN 7971	 Pan head sheet metal screws SCR-CAP	1481**		429				429					
DIN 7972	 Countersunk sheet metal screws SCR-CNTRSNK	1482**		430				430					
DIN 7973	 Raised countersunk head sheet metal screws SCR-RD-HEAD	1483**		431				431					

















*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes, °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzcn	ZI	A2	A4	Cu	Ms	Al	KS		
DIN 7976	 Hexagon head sheet metal screws BLT-HEX6	1479**		432					432						
DIN 7977	 Taper pins PIN-TAP	8797**	433												
DIN 7978	 Taper pins PIN-TAP	8736**	433												
DIN 7979	 Parallel pins PIN-PAR	8733 8735*	434												
DIN 7980	 Spring washers	°	435	435	435			436	436						
DIN 7981	 Raised countersunk head sheet metal screws SCR-RD-HEAD	7049**		437	438			439 440	441						
DIN 7981	 Raised countersunk head sheet metal screws with hexalobular socket SCR-RD-HEAD	14585**		442				442	443						
DIN 7982	 Countersunk sheet metal screws SCR-CNTRSNIK	7050***		444				445 446	447						
DIN 7982	 Countersunk sheet metal screws with point and hexalobular socket SCR-CNTRSNIK	14586***		448				448	449						
DIN 7983	 Raised countersunk head sheet metal screws SCR-RD-HEAD	7051***		450				451 452 453							
DIN 7984	 Cap screws SCR-CAP		454	455				456	457						
DIN 7985	 Round head screws SCR-RD-HEAD	7045**	458	459	460			462 463	465 466						
DIN 7985	 Round head screws with hexagon socket SCR-RD-HEAD	14583*		461	461			464	467						
DIN 7989	 Washers		468			468		468							
DIN 7990	 Hexagon bolts BLT-HEX6					469									
DIN 7991	 Countersunk screws SCR-CNTRSNIK	10642***	470 471	472 473	474		475	476	477						










*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes, °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page													
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS			
DIN 7991	 Countersunk screws with hexagon socket and safety pin SCR-CNTRSNK							478								
DIN 7991	 Countersunk screws with hexalobular socket and safety pin SCR-CNTRSNK	14581 ***						479								
DIN 7993	 Round-wire snap ring Form A for shafts		479													
DIN 7995	 Raised countersunk head wood screw SCR-RSD-CNTRSNK-HD							480								
DIN 7996	 Round head wood screws SHR-HRD			481				481	482							
DIN 7997	 Countersunk head wood screw							482								
ISO 8752	 Rolled spring pins	1481**	483 484													
DIN 9021	 Washers	7093- 2**	485	485	485											
DIN 9021	 Washers 200 HV					486	486	487 488	487 488		486					
DIN 11024	 Spring cotter pin			537					537							
EN 14399 -4	 Hexagon bolts							489								
EN 14399 -4	 Hexagon nuts							490								
EN 14399 -6	 Washers							490								
ISO 14579	 Cap screws with hexalobular socket SCR-CAP			491												
ISO 14580	 Cap screws with hexalobular socket SCR-CAP							492								
ISO 14581	 Countersunk screws with hexalobular socket SCR-CNTRSNK			492												

*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page											
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS	
DIN 32501 /3	 Welding bolts with external thread							493						
DIN 46320	 Flat hexagon nuts NUT-HEX6										493			
DIN 71752	 Fork head			538										
DIN 74361	 Spherical collar nuts NUT spherical bolts		494											
DIN 74361	 Flat collar nut NUT flat collar		494											
DIN 74361	 Spherical spring washer		495											
DIN 80701	 Locking nut									495				
DIN 80704	 Lifting nut									495				
DIN 80705	 Hexagon nuts NUT-HEX6		496											

*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes, °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Assortments table of contents

DIN/ISO	Designation	Catalog page
DIN 84 	Fillister head screws assortment	496
DIN 94 	Split pin assortment	496
DIN 471 	Circlip assortment	497
DIN 472 	Circlip assortment	497
DIN 933 	Hexagon bolts assortment	497
DIN 934 - DIN 125 	Nuts, washers assortment	498
DIN 963 	Countersunk bolts assortment	498
DIN 985 	Lock nuts assortment	498
DIN 1481 	Rolled spring pins assortment	499
DIN 6885 A 	Parallel keys assortment	499
DIN 7504 	Self-tapping screws assortment	499
DIN 7971 	Pan head sheet metal screws assortment	500
DIN 7981 	Round head sheet metal screws assortment	500
	Ensat assortment	500

Table of contents without DIN/ISO

	Designation	similar to DIN/ISO	Material / catalog page												
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS		
	Knock-in nuts			540											
	Spedec self-drilling screw			540 542 543					541 542						
	Screw lock fluid			543 to 546											
	Countersunk head blind rivet FAKKT	7337		548										548	
	Pan head blind rivet FAKKT			548 549					549 550					548 549	
	Large pan head blind rivet K 12 FAKKT			550										550	
	Large pan head blind rivet K 14 FAKKT			551										551	
	Sealing blind rivet FAKKT			552					552		553			552	
	Blind rivet nut hexagon Countersunk head FAKKT			554					554						
	Blind rivet nut hexagon Pan head FAKKT			554					554						
	Blind rivet nut small head FAKKT			555					555						
	Blind rivet nut countersunk head FAKKT			555					555						
	Blind rivet nut pan head FAKKT			556					556						
	Countersunk head blind rivet GESIPA	7337		557										557	
	Spreader blind rivet GESIPA			558										558	
	Pan head blind rivet GESIPA	7337		559 560					561 562		563			559	

Table of contents without DIN/ISO




























	Designation	similar to DIN/ISO	Material / catalog page											
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS	
	Pan head blind rivet Large head K 11 GESIPA			563					563				563	
	Pan head blind rivet large head K 12 GESIPA	7337		564									564	
	Pan head blind rivet Large head K 14 GESIPA			565					566				565	
	Pan head blind rivet Large head K 16 GESIPA			566									566	
	Multi-range polygrip blind rivet GESIPA			567					567				567	
	Bulb-Tite blind rivet GESIPA												568	
	Blind rivet nut countersunk head GESIPA			569									569	
	Blind rivet nut pan head GESIPA			570									570	
	Knock-in dowel - expansion nail								571				571	
	Riveting tools		572 to 581											
	Chipboard screws, counter- sunk head cross recess PZ full thread		584	584				585						
	Chipboard screws, counter- sunk head cross recess PZ partial thread		585	586				586						
	Chipboard screws, counter- sunk head hexalobular socket TX full thread		587	587				588						
	Chipboard screws, counter- sunk head hexalobular socket TX partial thread		588	589				590						
	Chipboard screws, PAN-HEAD cross recess PZ full thread		590	591				591						
	Chipboard screws, PAN-HEAD hexalobular socket TX full thread		592					592						

Table of contents without DIN/ISO

Designation	similar to DIN/ISO	Material / catalog page											
		St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS	
 Star nuts												623	
 Collar nuts		623											
 Distance screws			623										
 T-head bolts								624					
 Safety nut - shear nut								624					
 Cheese head screws with serration under head	912							624					
 Pre-assembled stud screws with hexagon head type 1								625					
 Pre-assembled stud screws with hexagon head type 2								625					
 Screw studs								625					
 EPDM gaskets for stud screws												626	
 Adapter plate								626					